Clinical Endocrinology (1986), **25**, 751–756

Author Index to Volume 25

ABRAHAM, R.R., CAMPBELL, E.A., GILLHAM, B., THODY, A.J., ALTAHER, A.R.H., PRYSOR-JONES, A., WYNN, V., JONES, M.T. and JENKINS, J. The effect of ovine corticotrophin releasing factor (oCRF), bromocriptine and TRH on the secretion of ACTH and α-MSH in Nelson's syndrome and Cushing's disease, 75

ACKERY, D.M. see Tippett, P.A.

ÅKERSTRÖM, G. see Ljunghall, S.

ALBERTI, K.G.M.M. see Davies, R.R.

AL-DAMLUJI, S. see Grossman, A.

ALLOLIO, B. see Schulte, H.M.

ALTAHER, A.R.H. see Abraham, R.R.

AMICO, J.E. and FINLEY, B.E. Breast stimulation in cycling women, pregnant women and a woman with induced lactation: pattern of release of oxytocin, prolactin and luteinizing hormone, 97

ANDERSON, D.C. see Petsos, P.

ANDERSON, P.J. see Gabrilove, J.L.

ATKINSON, A.B. see Beacom, R.

BAIRD, D.T. see Messinis, I.E.

BALAZS, C., KISS, E., LEÖVEY, A. and FARID, N.R. The immunosuppressive effect of methimazole on cell-mediated immunity is mediated by its capacity to inhibit peroxidase and to scavenge free oxygen radicals, 7

BALAZS, C. see Frecker, M.

BALAZS, GY. see Juhasz, F.

BALLMANN, M., HARTMANN, H., DEACON, C.F., SCHMIDT, W.E., CONLON, J.M. and CREUTZFELDT, W. Hypersecretion of proinsulin does not explain the hyperinsulinaemia of patients with liver cirrhosis, 351

BANNISTER, P., HANDLEY, T., CHAPMAN, C. and LOSOWSKY, M.S. LH pulsatility following acute ethanol ingestion in men, 143

BEACOM, R., ATKINSON, A.B., KENNEDY, A.L., SHERIDAN, B., HADDEN, D.R., MERRETT, J.D. and MCILRATH, E. Studies of hypothalamic pituitary structure and function in patients previously treated with bilateral adrenalectomy alone for Cushing's disease, 107

BEARDWELL, C. see Reader, S.C.J.

BÉLANGER, R. see Boutin, J.M.

BELCHETZ, P.E., CARTY, A., CLEARKIN, L.G., DAVIS, J.C., JEFFREYS, R.V. and RAE, P.G. Failure of prophylactic surgery to avert massive pituitary expansion in pregnancy, 325

BENKER. G. see Schulte, H.M.

BERETTA-PICCOLI, C. see Bianchetti, L.

BERTHEZENE, F. see Boizel, R.

BESSER, G.M. see Grossman, A., also Scherbaum, W.A.

BEVAN, J.S. and BURKE, C.W. Non-functioning pituitary adenomas do not regress during bromocriptine therapy but possess membrane-bound dopamine receptors which bind bromocriptine, 561

BIANCHETTI, L., FERRIER, C., BERETTA-PICCOLI, C., FRASER, R., MORTON, J.J. and ZIEGLER, W.H. Adrenergic activity and aldosterone regulation: no evidence for an alpha-1 adrenoceptor-mediated influence in normal subjects, 87

BLIZIOTES, M.M. see Marz, S.J.

BLUNT, S.M., CLAYTON, R.N. and BUTT, W.R. Effect of injection site on the pharmokoinetics and pharmodynamics of subcutaneously administered luteinizing hormone-releasing hormone, 589

BOIZEL, R., DE PERETTI, E., CATHIARD, A.M., HALIMI, S., BOST, M., BERTHEZENE, F. and SAEZ, J.M. Pattern of plasma levels of cortisol, dehydroepiandrosterone and pregnenolone sulphate in normal subjects and in patients with homozygous familial hypercholesterolaemia during ACTH infusion, 363

BOST, M. see Boizel, R.

BOTTAZZO, G.F. see Scherbaum, W.A.

BOUTIN, J.M., MATTE, R., D'AMOUR, P., GILBERT, F., HAVRANKOVA, J., BÉLANGER, R., CHARTRAND, R. and ZAKARIJA M. Characteristics of patients with normal T3 and T4 and a low TSH response to TRH, 579

BROOK, C.G.D. see Hindmarsh, P.C., also Smith, P.J.

BRUCHIS, S. see Silbergeld, A.

BUCKLAND, P.R. see Hashim, F.A.

BURKE, C.W. see Bevan, J.S.

BURMAN, K.D. see Reed, H.L.

BUTT, W.R. see Blunt, S.M.

CACICEDO, L. see Picó, A.

CAMPBELL, A.K. see Oleesky, D.A.

CAMPBELL, E.A. see Abraham, R.R.

CARTY, A. see Belchetz, P.E.

CASANUEVA, F.F., VILLANUEVA, L., DIAZ, Y., DEVESA, J., FERDINANDEZ-CRUZ, A. and SCHALLY, A.V. Atropine selectively blocks GHRH-induced GH secretion without altering

LH, FSH, TSH, PRL and ACTH/cortisol secretion elicited by their specific hypothalamic releasing factors, 319
CATHIARD, A.M. see Boizel, R.
CELLA, S.G. see Loche, S.
CHAPMAN, C. see Bannister, P.
CHARTRAND, R. see Boutin, J.M.
CHRISTIANSEN, C. see Nilas, L.
CLAYTON, R.N. see Blunt, S.M.
CLEARKIN, L.G. see Belchetz, P.E.
CLOSE, C. see Mawer, E.B.
COHEN, A.K. see Leedman, P.J.
CONLON, J.M. see Ballmann, M.
CONNELL, J.M.C., DAVIES, D.L., FRASER, R. and KENYON, C.J. Dopamine effects on 11-deoxycorticosterone concentrations in patients with Cushing's syndrome and *in vitro*, 427
CONNERY, A.H. see Loche, S.
COOK, D.M., WATKINS, S. and SNYDER, P.J. Gonadotrophin-secreting pituitary adenomas masquerading as primary ovarian failure, 728
CORDA, R. see Loche, S.
COY, D.H. see Grossman, A.
CRAIG, R.K. see Schifter, S.
CREAGH, F.M. see Hashim, F.A.
CREUTZFELDT, W. see Ballmann, M.
CROUGHS, R.J.M. see Koppeschaar, H.P.F.

DAHLBERG, P.A. see Volpé, R.
D'AMOUR, P. see Boutin, J.M.
DANIELS, M. see White, M.C.
DAVIES, D.L. see Connell, J.M.C.
DAVIES, R.R., MILLER, M., TURNER, S.J., WATSON, M., MCGILL, A., ORSKOV, H., ALBERTI, K.G.M.M. and JOHNSTON, D.G. Effects of somatostatin analogue SMS 201–995 in non insulin dependent diabetes, 739
DAVIES, T.F. see Feldman, A., also Roman, S.H.
DAVIS, J.C. see Belchetz, P.E.
DAVISON, B. see Reader, S.C.J.
DEACON, C.F. see Ballmann, M.
DELITALA, G. see Grossman, A.
DEL POZO, E. see Lamberts, S.W.J., also Verschoor, L.
D'EMDEN, M.C. and HARRISON, L.C. Rapid improvement in visual field defects following bromocriptine treatment of patients with non-functioning pituitary ademonas, 697
DE PERETTI, E. see Boizel, R.
DEVESA, J. see Casanueva, F.F.
DIAZ, Y. see Casanueva, F.F.
DIEGUEZ, C. see Peters, J.R.
DIEGUEZ, C., PETERS, J.R., PAGE, M.D., JOHN, R., HALL, R. and SCANLON, M.F. Thyroid function in patients with hyperprolactinaemia: relationship to dopaminergic inhibition of TSH release, 435
DONALD, R.A. see Milson, S.R.
DONIACH, D. see Scherbaum, W.A.
DOWSETT, M. see Forbes, K.L.

EBERLE, A.N. see Landolt, A.M.
EHRLICH, R.M. see Ginsberg, J.
EL HAWRANI, A. see Hashim, F.A.
ESPINER, E.A. see Milsom, S.R.
EVANS, P.J. see Peters, J.R.

FARID, N.R. see Balazs, C., also Frecker, M., also Juhasz, F.
FELDMAN, A., SCHWARTZ, A.E., FRIEDMAN, E.W. and DAVIES, T.F. TSH receptor antibody induction of thyroglobulin release from human thyroid cell monolayers, 45
FERDINANDEZ-CRUZ, A. see Casanueva, F.F.
FERRIER, C. see Bianchetti, L.
FINLEY, B.E. see Amico, J.E.
FLETCHER, A.E. see Mason, R.T.
FORBES, K.L., DOWSETT, M., ROSE, G.L., MUDGE, J.E. and JEFFCOATE, S.L. Dosage-related effects of danazol on sex hormone binding globulin and free and total androgen levels, 597
FORESTA, C., MIONI, R. and SCANDELLARI, C. Evidence for serotoninergic system involvement in opioid control of luteinizing hormone secretion in man, 573
FRASER, R. see Bianchetti, L. also Connell, J.M.C.
FRECKER, M., STENSZKY, V., BALAZS, C., KOZMA, L., KRASZITS, E. and FARID, N.R. Genetic factors in Graves' ophthalmopathy, 479
FRIEDMAN, E.W. see Feldman, A.
FROHWEIN, U.S. see Schulte, H.M.
FUJIO, N., OHASHI, M., NAWATA, H., KATO, K., IBAYASHI, H., KANGAWA, K. and MATSUO, H. α-Human atrial natriuretic polypeptide reduces the plasma arginine vasopressin concentration in human subjects, 181
FURUHASHI, N. see Yoshida, K.

GABRILOVE, J.L., ANDERSON, P.J. and HALMI, N.S. Pituitary pro-opiomelanocortin-cell carcinoma occurring in conjunction with a glioblastoma in a patient with Cushing's disease and subsequent Nelson's syndrome, 117
GIBBS, J.T. see Peters, J.R.
GILBERT, F. see Boutin, J.M.
GILLHAM, B. see Abraham, R.R.
GINSBERG, J., WALFISH, P.G., RAFTER, D.J., VON WESTARP, C. and EHRLICH, R.M. Thyrotrophin blocking antibodies in the sera of mothers with congenitally hypothyroid infants, 189
GINSBERG-FELLNER, F. see Roman, S.H.
GIRARD, J. see Landolt, A.M.
GOTFREDSEN, A. see Nilas, L.
GROSSMAN, A., DELITALA, G., MANNELLI, M., AL-DAMLUJI, S., COY, D.H. and BESSER, G.M. An

analogue of met-enkephalin attenuates the pituitary-adrenal response to ovine corticotrophin releasing factor, 421

HADDEN, D.R. see Beacom, R.
HALIMI, S. see Boizel, R.
HALL, R. see Dieguez, C., also Peters, J.R.
HALMI, N.S. see Gabrilove, J.L.
HAMILL, R.W. see Woolf, P.D.
HANDLEY, T. see Bannister, P.
HANSEN, H.H. see Schifter, S.
HARDY, K.J. see Mason, R.T.
HARRISON, L.C. see D'Emden, M.C.
HARTMANN, H. see Ballmann, M.
HASHIM, F.A., CREAGH, F.M. EL HAWRANI, A., PARKES, A.B., BUCKLAND, P.R. and REES SMITH, B. Characterization of TSH antagonist activity in the serum of patients with thyroid disease, 275
HAVRANKOVA, J. see Boutin, J.M.
HELENIUS, T. see Lamberg, B-A.
HENDERSON, N. see Wilson, R.
HERMAN, T.N. see Stern, J.M.
HIMSWORTH, R.L. see Pearce, C.J.
HINDMARSH, P.C., STANHOPE, R., KENDALL, B.E. and BROOK, C.G.D. Tall stature: a clinical, endocrinological and radiological study, 223
HITMAN, G.A. Progress with the genetics of insulin-dependent diabetes mellitus, 463
HOCKADAY, T.D.R. see Ng. L.L.

IBAYASHI, H. see Fujio, N., also Karashima, T.
ICHIHARA, K. see Miyai, K.
IIDA, Y. see Kasagi, K.
IKUYAMA, S. see Karashima, T.
ITATANI, H. see Namiki, M.

JAMES, J. see Mawer, E.B.
JANSSON, R. see Karlsson, F.A., also Volpé, R.
JEFFCOATE, S.L. see Forbes, K.L.
JEFFREYS, R.V. see Belchetz, P.E.
JENKINS, J. see Abraham, R.R.
JOBORN, H. see Ljunghall, S.
JOHN, R. see Dieguez, C.
JOHNSTON, D.G. see Davies, R.R.
JONES, M.T. see Abraham, R.R.
JOSSO, N. Anti-Müllerian hormone, 331
JUDD, S.J. see Steele, P.A.
JUHASZ, F., BALAZS, GY., KOZMA, L., KRASZITS, E., STENSZKY, V. and FARID, N.R. Interactions of IgG heavy-chain allotypes (Gm) and HLA in conferring susceptibility to thyroid carcinoma, 17

KAISE, K. see Yoshida, K.
KANGAWA, K. see Fugio, N.
KARASHIMA, T., KATO, K., NAWATA, H., IKUYAMA, S., IBAYASHI, H., NAKAGAKI, H. and KITAMURA, K. Postoperative plasma GH levels and restoration of GH dynamics in acromegalic patients surgically treated by the transsphenoidal approach, 157
KARLSSON, A. see Volpé, R.
KARLSSON, F.A., TÖTTERMAN, T.H. and JANSSON, R. Subacute thyroiditis: activated HLA-DR and interferon-γ expressing T cytotoxic/suppressor cells in thyroid tissue and peripheral blood, 487
KASAGI, K., KONISHI, J., IIDA, Y., MORI, T. and TORIZUKA, K. Changes in thyroid-stimulating and TSH-binding inhibitory activities in a patient who developed hyperthyroidism due to Graves' disease following primary hypothyroidism, 519
KATO, K. see Fujio, N., also Karashima, T.
KELLY, M. see Woolf, P.D.
KENDALL, B.E. see Hindmarsh, P.C.
KENDALL-TAYLOR, P. see White, M.C.
KENNEDY, A.L. see Beacom, R.
KENYON, C.J. see Connell, J.M.C.
KISS, E. see Balazs, C.
KITAMURA, K. see Karashima, T.
KLIJN, J.G.M. see Lamberts, S.W.J.
KONDO, K. see Miyai, K.
KONISHI, J. see Kasagi, K.
KONNER, M. see Stern, J.M.
KOPPESCHAAR, H.P.F., CROUGHS, R.J.M., THIJSSEN, J.H.H. and SCHWARZ, F. Response to neurotransmitter modulating drugs in patients with Cushing's disease, 661
KOZMA, L. see Frecker, M., also Juhasz, F.
KRASZITS, E. see Frecker, M., also Juhasz, F.
KULIN, H., E. and SANTNER, S.J. The assessment of diminished testicular function in boys of pubertal age, 283
KUROSAWA, S. see Noguchi, K.

LAMBERG, B-A., HELENIUS, T. and LIEWENDAHL, K. Assessment of thyroxine suppression in thryoid carcinoma patients with a sensitive immunoradiometric TSH assay, 259
LAMBERTS, S.W.J., ZWEENS, M., KLIJN, J.G.M., VAN VROONHOVEN, C.C.J., STEFANKO, S.Z. and DEL POZO, E. The sensitivity of growth hormone and prolactin secretion to the somatostatin analogue SMS 201–995 in patients with prolactinomas and acromegaly, 201
LAMBERTS, S.W.J. see Verschoor, L.
LAMPIS, A. see Loche, S.
LANDOLT, A.M., VALAVANIS, A., GIRARD, J. and EBERLE, A.N. Corticotrophin-releasing factor-test used with bilateral, simultaneous inferior petrosal sinus blood-sampling for the diagnosis of pituitary-dependent Cushing's disease, 687
LANG, U., THEINTZ, G., RIVEST, R.W. and SIZONENKO, P.C. Nocturnal urinary melatonin excretion and plasma cortisol levels in children and

adolescents after a single oral dose of dexamethasone, 165
LARON, Z. see Silbergeld, A.
LEEDMAN, P.J., COHEN, A.K. and MATZ, L.R. The complex of myxomas, spotty pigmentation and endocrine overactivity, 527
LEE, L.A. see Woolf, P.D.
LEÖVEY, A. see Balazs, C.
LIEWENDAHL, K. see Lamberg, B-A.
LITWIN, A. see Silbergeld, A.
LIU, J.H. see Rasmussen, D.D.
LIVESEY, J.H. see MILSOM, S.R.
LJUNGHALL, S., JOBORN, H., ROXIN, L-E., RASTAD, J., WIDE, L. and AKERSTROM, G. Prolonged low-intensity exercise raises the serum parathyroid hormone levels, 535
LOCHE, S., CORDA, R., LAMPIS, A., PUGGIONI, R., CELLA, S.G., MULLER, E.E. and PINTOR, C. The effect of oxandrolone on the growth hormone response to growth hormone releasing hormone in children with constitutional growth delay, 195
LOCHE, S., RIFKIND, A.B., STONER, E., CONNERY, A.H. and NEW, M.I. Antipyrine clearance in congenital adrenal hyperplasia, 233
LOSOWSKY, M.S. see Bannister, P.
LUDGATE, M. see Oleesky, D.A.

MACFARLANE, I.A., STAFFORD, S.M. and WRIGHT, A.D. Increased circulating radioreceptor-active growth hormone in insulin-dependent diabetics, 607
MÄKINEN, T. see Pekonen, F.
MANNELLI, M. see Grossman, A.
MARTIN, T.J. see Mason, R.T.
MARX, S.J., BLIZIOTES, M.M. and NANES, M. Analysis of the relation between alopecia and resistance to 1,25-dihydroxyvitamin D, 373
MASON, R.T., SHULKES, A., ZAJAC, J.D., FLETCHER, A.E., HARDY, K.J. and MARTIN, T.J. Basal and stimulated release of calcitonin gene-related peptide (CGRP) in patients with medullary thyroid carcinoma, 675
MATHIAS, D. see White, M.C.
MATSUMOTO, K. see Namiki, M.
MATSUO, H. see Fujio, N.
MATTE, R. see Boutin, J.M.
MATZ, L.R. see Leedman, P.J.
MAWER, E.B., STANBURY, S.W., ROBINSON, M.J., JAMES, J. and CLOSE, C. Vitamin D nutrition and vitamin D metabolism in the premature human neonate, 641
MCDONALD, J.V. see Woolf, P.D.
MCEWAN, A.J. see Tippett, P.A.
MCGILL, A. see Davies, R.R.
MCGREGOR, A.M. see Oleesky, D.A.
MCILRATH. E. see Beacom, R.
MCKILLOP, J.H. see Wilson, R.
MERRETT, J.D. see Beacom, R.
MESSINIS, I.E. and TEMPLETON, A. The effect of pulsatile follicle stimulating hormone on the endogenous luteinizing hormone surge in women, 633
MESSINIS, I.E., TEMPLETON, A. and BAIRD, D.T. Relationships between the characteristics of endogenous luteinizing hormone surge and the degree of ovarian hyperstimulation during superovulation induction in women, 393
MIETTINEN, A. see Pekonen, F.
MILLER, M. see Davies, R.R.
MILSOM, S.R., DONALD, R.A., ESPINER, E.A., NICHOLLS, M.G. and LIVESEY, J.H. The effect of peripheral catecholamine concentrations on the pituitary-adrenal response to corticotrophin releasing factor in man, 241
MIONI, R. see Foresta, C.
MIYAI, K., ICHIHARA, K., KONDO, K. and MORI, S. Asymptomatic hyperprolactinaemia and prolactinoma in the general population—mass screening by paired assays of serum prolactin, 549
MORGAN, B.P. see Oleesky, D.A.
MORI, T. see Kasagi, K., also Miyai, K.
MORTON, J.J. see Bianchetti, L.
MUDGE, J.E. see Forbes, K.L.
MULLER, E.E. see Loche, S.

NAKAGAKI, H. see Karashima, T.
NAKAGAWA, S. see Noguchi, K.
NAKAHATA, M. see Noguchi, K.
NAKAMURA, M. see Namiki, M.
NAMIKI, M., NAKAMURA, M., OKUYAMA, A., ITATANI, H., SONODA, T. and MATSUMOTO, K. Testicular stimulating hormone receptors and effectiveness of human menopausal gonadotrophin-human chorionic gonadotrophin treatment in infertile men, 495
NANES, M. see Marx, S.J.
NAWATA, H. see Fujio, N., also Karashima, T.
NEW, M.I. see Loche, S.
NEWLAND, P. see White, M.C.
NG, L.L. and HOCKADAY, T.D.R. The leucocyte sodium pump in healthy and obese subjects: the association of insulin with its activity, 383
NICHOLLS, M.G. see Milsom, S.R.
NILAS, L., GOTFREDSEN, A., RIIS, B.J. and CHRISTIANSEN, C. The diagnostic validity of local and total bone mineral measurements in postmenopausal osteoporosis and osteoarthritis, 711
NOGUCHI, K., SUZUKI, H., NAKAHATA, M., KUROSAWA, S. and NAKAGAWA, S. Prolonged treatment of hyperthyroidism with sodium tyropanoate, an oral cholecystographic agent: a re-evaluation of its clinical utility, 293

O'Brien, J.T. see Reed, H.L.
Ohashi, M. see Fujio, N.
Okuyama, A. see Namiki, M.
Oleesky, D.A., Ratanachaiyavong, S., Ludgate, M., Morgan, B.P., Campbell, A.K. and McGregor, A.M. Complement component C9 in Graves' disease, 623
Ørskov, H. see Davies, R.R.

Page, M.D. see Dieguez, C., also Peters, J.R.
Parkes, A.B. see Hashim, F.A.
Peacock, M. see Selby, P.L.
Pearce, C.J. and Himsworth, R.L. Serum iodothyronine concentrations during introduction of thyroxine replacement therapy in hypothyroidism, 303
Pearson, D.W. see Wilson, R.
Pekonen, F., Siegberg, R., Mäkinen, T., Miettinen, A. and Yli-Korkala, O. Immunological disturbances in patients with premature ovarian failure, 1
Peters, J.R., Evans, P.J., Page, M.D., Hall, R., Gibbs, J.T., Dieguez, C. and Scanlon, M.F. Cholinergic muscarinic receptor blockade with pirenzipine abolishes slow wave sleep-related growth hormone release in normal adult males, 213
Peters, J.R. see Dieguez, C.
Petsos, P., Ratcliffe, W.A. and Anderson, D.C. Effects of medroxyprogesterone acetate in women with polycystic ovary syndrome, 651
Picó, A., Cacicedo, L., Varela, C. and Sánchez-Franco, F. Interaction of thyrotrophin releasing hormone and the enkephalin analogue DAMME on pituitary hormone secretion, 501
Pintor, C. see Loche, S.
Prysor-Jones, A. see Abraham, R.R.
Puggioni, R. see Loche, S.

Rae, P.G. see Belchetz, P.E.
Rafter, D.J. see Ginsberg, J.
Rasmussen, D.D., Liu, J.H., Swartz, W.H., Tueros, V.S. and Yen, S.S.C. Human fetal hypothalamic GnRH neurosecretion: dopaminergic regulation *in vitro*, 127
Rastad, J. see Ljunghall, S.
Ratanachaiyavong, S. see Oleesky, D.A.
Ratcliffe, J.G. see Reader, S.C.J.
Ratcliffe, W.A. see Petsos, P.
Reader, S.C.J., Davison, B., Beardwell, C., Ratcliffe, J.G. and Robertson, W.R. Protein-A purified human immunoglobulins: a comparison of thyroid stimulating and thyrotrophin receptor binding activities in thyrotoxicosis, 441
Reed, H.L., Burman, K.D., Shakir, K.M.M. and O'Brian, J.T. Alterations in the hypothalamic-pituitary-thyroid axis after prolonged residence in Antarctica, 55
Rees Smith, B. see Hashim, F.A.
Reichlin, S. see Stern, J.M.
Reinwein, D. see Benker, H.M.
Rifkind, A.B. see Loche, S.
Riis, B.J. see Nilas, L.
Rivest, R.W. see Lang, U.
Rivier, J. see Smith, P.J.
Robertson, W.R. see Reader, S.C.J.
Robinson, M.J. see Mawer, E.B.
Rõjdmark, S. Does short-term fasting desensitize human somatotrophs to oral L-dopa stimulation? 71
Roman, S.H., Davies, T.F., Witt, M.E., Ginsberg-Fellner, F. and Rubinstein, P. Thyroid autoantibodies in HLA-genotyped Type 1 and diabetic families: sex-limited DR5 association with thyroid microsomal antibody, 23
Rose, G.L. see Forbes, K.L.
Roxin, L-E. see Ljunghall, S.
Rubinstein, P. see Roman, S.H.

Saez, J.M. see Boizel, R.
Sakurada, T. see Yoshida, K.
Sánchez-Franco, F. see Picó, A.
Santner, S.J. see Kulin, H.E.
Scandellari, C. see Foresta, C.
Scanlon, M.F. see Dieguez, C., also Peters, J.R.
Schally, A.V. see Casanueva, F.F.
Scherbaum, W.A., Wass, J.A.H., Besser, G.M., Bottazzo, G.F. and Doniach, D. Autoimmune cranial diabetes insipidus: its association with other endocrine diseases and with histiocytosis X, 411
Schifter, S., Williams, E.D., Craig, R.K. and Hansen, H.H. Calcitonin gene-related peptide and calcitonin in medullary thyroid carcinoma, 703
Schmidt, W.E. see Ballmann, M.
Schulte, H.M., Allolio, B., Frohwein, U.S., Benker, G. and Reinwein, D. Continuous infusion of growth hormone releasing hormone does not alter the growth hormone response to different stress stimuli, 511
Schwartz, A.E. see Feldman, A.
Schwartz, F. see Koppeschaar, H.P.F.
Selby, P.L. and Peacock, M. The effect of transdermal oestroegen on bone, calcium-regulating hormones and liver in postmenopausal women, 543
Shakir, K.M.M. see Reed, H.L.
Sheridan, B. see Beacom, R.
Shulkes, A. see Mason, R.T.
Siegberg, R. see Pekonen, F.
Silbergeld, A., Litwin, A., Bruchis, S., Varsano, I. and Laron, Z. Insulin-like growth factor I (IGF-I) in healthy children, adolescents and

adults as determined by a radioimmunoassay specific for the synthetic 53–70 peptide region, 67
SIZONENKO, P.C. see Lang, U.
SMITH, P.J., BROOK, C.G.D., RIVIER, J., VALE, W. and THORNER, M.O. Nocturnal pulsatile growth hormone treatment in growth hormone deficiency, 35
SNYDER, P.J. see Cooke, D.M.
SONODA, T. see Namiki, M.
STAFFORD, S.M. see MacFarlane, I.A.
STANBURY, S.W. see Mawer, E.B.
STANHOPE, R. see Hindmarsh, P.C.
STEELE, P.A. and JUDD, S.J. Role of endogenous opioids in reducing the frequency of pulsatile luteinizing hormone secretion induced by progesterone in normal women, 669
STEFANKO, S.Z. see Lamberts, S.W.J.
STENSZKY, V. see Frecker, M., also Juhasz, F.
STERN, J.M., KONNER, M., HERMAN, T.N. and REICHLIN, S. Nursing behaviour, prolactin and postpartum amenorrhoea during prolonged lactation in American and !Kung mothers, 247
STONER, E. see Loche, S.
SUZUKI, H. see Noguchi, K.
SWARTZ, W.H. see Rasmussen, D.D.

TAKAHASHI, T. see Yoshida, K.
TEASDALE, G. see White, M.C.
TEMPLETON, A. see Messinis, I.E.
THEINTZ, G. see Lang, U.
THIJSSEN, J.H.H. see Koppeschaar, H.P.F.
THODY, A.J. see Abraham, R.R.
THOMSON, J.A. see Wilson, R.
THORNER, M.O. see Smith, P.J.
TIPPETT, P.A., MCEWAN, A.J. and ACKER, D.M. A re-evaluation of dopamine excretion in phaeochromocytoma, 401
TORIZUKA, K. see Kasagi, K.
TÖTTERMAN, T.H. see Karlsson, F.A.
TUEROS, V.S. see Rasmussen, D.D.
TURNER, S.J. see Davies, R.R., also White, M.C.

UITTERLINDEN, P. see Verschoor, L.

VALAVANIS, A. see Landolt, A.M.
VALE, W. see Smith, P.J.
VAN VROONHOVEN, C.C.J. see Lamberts, S.W.J.
VARELA, C. see Picó, A.
VARSANO, I. see Silbergeld, A.
VERSCHOOR, L., UITTERLINDEN, P., LAMBERTS, S.W.J. and DEL POZO, E. On the use of a new somatostatin analogue in the treatment of hypoglycaemia in patients with insulinoma, 555
VILLANUEVA, L. see Casanueva, F.F.
VOLPÉ, R., KARLSSON, A., JANSSON, R. and DAHLBERG, P.A. Evidence that antithyroid drugs induce remissions in Graves' disease by modulating thyroid cellular activity, 453
VON WESTARP, C. see Ginsberg, J.

WALFISH, P.G. see Ginsberg, J.
WASS, J.A.H. see Scherbaum, W.A.
WATKINS, S. see Cook, D.M.
WATSON, M. see Davies, R.R.
WEETMAN, A.P. Effect of the anti-thyroid drug methimazole on interleukin-1 and interleukin-2 levels *in vitro*, 133
WHITE, M.C., NEWLAND, P., DANIELS, M., TURNER, S.J., MATHIAS, D., TEASDALE, G. and KENDALL-TAYLOR, P. Growth hormone secreting pituitary adenomas are heterogeneous in cell culture and commonly secrete glycoprotein hormone α-subunit, 173
WIDE, L. see Ljunghall, S.
WILLIAMS, E.D. see Schifter, S.
WILSON, R., MCKILLOP, J.H., HENDERSON, N., PEARSON, D.W. and THOMSON, J.A. The ability of the serum thyrotrophin receptor antibody (TRAb) index and HLA status to predict long-term remission of thyrotoxicosis following medical therapy for Graves's disease, 151
WITT, M.E. see Roman, S.H.
WOOLF, P.D., HAMILL, R.W., MCDONALD, J.V., LEE, L.A. and KELLY, M. Transient hypogonadotrophic hypogonadism after head trauma: effects on steroid precursors and correlation with sympathetic nervous system activity, 265
WRIGHT, A.D. see MacFarlane, I.A.
WYNN, V. see Abraham, R.R.

YEN, S.S.C. see Rasmusseun, D.D.
YLI-KORKALA, O. see Pekonen, F.
YOSHIDA, K., SAKURADA, T., TAKAHASHI, T., FURUHASHI, N., KAISE, K. and YOSHINAGA, K. Measurement of TSH in human amniotic fluid: diagnosis of fetal thyroid abnormality *in utero*, 313
YOSHINAGA, K. see Yoshida, K.

ZAJAC, J.D. see Mason, R.T.
ZAKARIJA, M. see Boutin, J.M.
ZIEGLER, W.H. see Bianchetti, L.
ZWEENS, M. see Lamberts, S.W.J.

Clinical Endocrinology (1986), **25,** 757–760

Subject Index to Volume 25

ACTH
  effect of catecholamine, 241
  in familial hypercholesterolaemia, 363
  secretion in Nelson's syndrome and Cushing's disease, 75
alpha-1 adrenoceptors
  adrenergic activity and aldosterone regulation, 87
α-human atrial natriuretic polypeptide
  and reduction of arginine vasopressin, 181
α-MSH
  secretion in Nelson's syndrome and Cushing's disease, 75
α-subunit
  and GH secreting tumours, 173
Acromegaly
  and postoperative GH dynamics, 157
  and SMS 201-995, 201
Adrenalectomy
  hypothalamic-pituitary structure in Cushing's after, 1077
Adrenergic activity
  aldosterone regulation and alpha-1 adrenoceptors, 87
Aldosterone
  alpha-1 adrenoceptors and adrenergic activity, 87
Alopecia
  and resistance to 1,25-dihydroxyvitamin D, 373
Amenorrhoea
  and prolonged lactation, 247
Androgens
  and dose-related effects of danazol, 597
Antarctica
  thyroid function in, 55
Anti-Müllerian hormone, 331
Antipyrine
  metabolism in congenital adrenal hyperplasia, 233
Antithyroid drugs
  and remissions in Graves' disease, 453
Arginine vasopressin
  and atrial natriuretic polypeptide, 181
Atropine
  action on pituitary hormones, 319
Autoimmune cranial diabetes insipidus
  and histiocytosis X, 411

Bone
  effect of transdermal oestrogen, 543
Bone mass measurement
  validity in osteoporosis and osteoarthritis, 711
Breast stimulation
  hormonal responses to, 97
Bromocriptine
  and non-functioning pituitary adenomas, 561, 697
  effect on secretion of ACTH and α-MSH, 75

CRF
  effect of catecholamine, 241
CRF-test
  in the diagnosis of Cushing's disease, 687
Calcitonin
  and CGRP in medullary thyroid carcinoma, 703
Calcitonin gene-related peptide (CGRP)
  and medullary thyroid carcinoma, 675, 703
Calcium-regulating hormones
  effect of transdermal oestrogen, 543
Catecholamine
  and the ACTH response to CRF, 241
Cell-mediated immunity
  methimazole mechanism of action in, 7
Cholinergic blockade
  and nocturnal GH release, 213
Complement component C9
  in Graves' disease, 623
Congenital adrenal hyperplasia
  antipyrine metabolism in, 233
Cortisol
  levels after oral dexamethasone, 165
  and ACTH infusion in familial hypercholesterolaemia, 363
Cushing's disease
  ACTH and α-MSH secretion in, 75
  hypothalamic-pituitary function after adrenalectomy, 107
  with pituitary carcinoma and subsequent Nelson's syndrome, 117
  and response to neurotransmitter modulating drugs, 661
  diagnosis by CRF-test and inferior petrosal sinus blood-sampling, 687
Cushing's syndrome
  and effect of dopamine on 11-deoxycorticosterone, 427

Danazol
  dose-related effects on androgen levels, 597
Dehydroepiandrosterone
  and ACTH infusion in familial hypercholesterolaemia, 363

11-Deoxycorticosterone
in Cushing's, effect of dopamine, 427
Dexamethasone
melatonin excretion and cortisol levels, 165
Diabetes
and thyroid autoantibodies, 23
insulin-dependent, and circulating GH, 607
effects of somatostatin analogue SMS 201-995, 739
Diabetes mellitus
insulin-dependent, genetics of, 463
1,25-Dihydroxyvitamin D
and alopecia, 373
Dopamine
and 11-deoxycorticosterone in Cushing's syndrome, 427
and fetal hypothalamic GnRH, 127
Dopamine excretion
in phaeochromocytoma, 401
Dopamine receptors
in non-functioning pituitary adenomas, 561

Endocrine overactivity
myxomas and spotty pigmentation, 527
Endogenous opioids
and progesterone-induced pulsatile LH secretion, 669
Ethanol
and LH pulsatility, 143
Exercise
low-intensity and serum parathyroid hormone levels, 535

FHS
effect of pulsatile administration on endogenous LH surge, 633
Familial hypercholesterolaemia
and plasma corticosteroids during ACTH infusion, 363

GH
and SMS 201-995 in prolactinoma and acromegaly, 201
and stress stimuli, 511
in insulin-dependent diabetes, 607
GHRH
pulsatile treatment in growth hormone deficiency, 35
GHRH
infusion and stress response, 511
GH deficiency
nocturnal pulsatile GHRH treatment, 35
GH dynamics
in acromegaly, 157
GH release
slow wave sleep-related and cholinergic blockade, 213
and short-term fasting, 721
GH secretion
and oxandrolone in growth delay, 195
blocking by atropine, 319
GH secreting tumours
and α-subunit, 173
GnRH
neurosecretion and dopamine regulation, 127
Genetic factors
in Graves' ophthalmopathy, 479
Genetics
of insulin-dependent diabetes mellitus, 463
Gonadotrophin-secreting adenomas
masquerading as primary ovarian failure, 729
Graves' disease
and prediction of thyrotoxicosis remission, 151
effect of antithyroid drugs, 453
complement component C9 in, 623
Graves' hyperthyroidism
after hypothyroidism, 519
Graves' ophthalmopathy
genetic factors in, 479
Growth delay
effect of oxandrolone on GH secretion, 195

hCG treatment
in infertility, 495
HLA,
and thyroid cancer, 17
HLA-DR
and subacute thyroiditis, 487
HLA-DR5 microsomal antibody
in diabetes, 23
HLA status
and predicting remission of thyrotoxicosis in Graves' disease, 151
hMG treatment
in infertility, 495
Head trauma
effects of hypogonadism, 265
Histiocytosis X
and autoimmune cranial diabetes, 411
Hyperinsulinaemia
and proinsulin in liver cirrhosis, 351
Hyperprolactinaemia
and thyroid function, 435
screening by paired assays of serum prolactin, 549
Hyperthyroidism
prolonged treatment with sodium tyropanoate, 293
in Graves' disease following hypothyroidism, 519
Hypoglycaemia
and use of a new somatostatin analogue, 555

Hypogonadism
after head trauma, 265
Hypothalamic-pituitary
structure and function after adrenalectomy in Cushing's, 107
Hypothyroidism
and hyperthyroidism in Graves' disease, 519
and TSH blocking antibodies, 189
iodothyronine concentrations and thyroxine replacement therapy, 303

IGF-I 53-70 peptide serum levels in childhood, 67
IgG heavy chain allotypes (Gm) and HLA in thyroid cancer, 17
Immunology
in premature ovarian failure, 1
Inferior petrosal sinus blood-sampling
in the diagnosis of Cushing's disease, 687
Infertility
and testicular FSH receptors, 495
Injection site
effect on pharmacokinetics and pharmacodynamics of LHRH, 579
Insulin
and the leucocyte sodium pump, 383
Insulin-dependent diabetes
and increased GH, 607
Insulin-dependent diabetes mellitus
genetics of, 463
Insulin-like growth factor-I
determined by radioimmunoassay, 67
Insulinoma
and use of a new somatostatin analogue, 555
Interferon-γ
and subacute thyroiditis, 487
Interleukin-1
effect of methimazole, 133
Interleukin-2
effect of methimazole, 133
Iodothyronine
during thyroxine replacement therapy in hypothyroidism, 303

L-Dopa stimulation
and short-term fasting, 721
LH
and breast stimulation, 97
LH pulsatility
and ethanol, 143
LHRH
effect of injection site on, 589
LH secretion
and serotonin in opioid control, 573
and endogenous opioids, 669
LH surge
during superovulation induction, 393
effect of pulsatile FSH on, 633
Leucocyte sodium pump
association of insulin with its activities, 383
Liver
effect of transdermal oestrogen, 543
Liver cirrhosis
hypersecretion of proinsulin and hyperinsulinaemia in, 351

Parathyroid hormone levels
and prolonged low-intensity exercise, 535
Phaeochromocytoma
and dopamine excretion, 401
Pirenzepine
cholinergic blockade and nocturnal GH release, 213
Pituitary carcinoma
in Cushing's disease with subsequent Nelson's syndrome, 117
Pituitary expansion
in pregnancy, 325
Pituitary hormone secretion
and interaction of TRH and DAMME, 501
Polycystic ovary syndrome
effects of medroxyprogesterone acetate, 651
Pregnenolone
and ACTH infusion in familial hypercholesterolaemia, 363
Premature ovarian failure
immunology in, 1
Primary ovarian failure
gonadotrophin-secreting pituitary adenomas masquerading as, 729
Proinsulin
hypersecretion in liver cirrhosis, 351
Prolactin
and breast stimulation, 97
and SMS 201-995 in prolactinoma and acromegaly, 201
and prolonged lactation, 247
and screening for hyperprolactinaemia and prolactinoma, 549
Prolactinoma
and SMS 201-995, 201
screening by paired assays of serum prolactin, 549
Prolonged lactation
effect of, 247
Prophylactic surgery
and pituitary expansion in pregnancy, 325
Protein-A purified human immunoglobulins
action in thyrotoxicosis, 441
Puberty
and diminished testicular function, 283

SHBG
dose-related effects of danazol, 597
Serotonin
and opioid control of LH secretion, 573
Short-term fasting
and GH release, 721
Sodium tyropanoate
and hyperthyroidism, 293
Somatostatin analogue SMS 201-995
effects on GH and prolactin in prolactinoma and acromegaly, 201
in treatment of hypoglycaemia with insulinoma, 555
in non-insulin-dependent diabetes, 739
Spotty pigmentation
myxomas and endocrine overactivity, 527
Stress
and GHRH, 511
Subacute thyroiditis
and activated T-cells, 487
Superovulation induction
and LH surge, 393

TRAb
and predicting remission of thyrotoxicosis in Graves' disease, 151
TRH
effect on secretion of ACTH and α-MSH, 75
and pituitary hormone secretion, 501
blunted response by TSH with normal T3 and T4, 579
TSH
and diagnosis of fetal thyroid abnormality *in utero*, 313
blunted response to TRH with normal T3 and T4, 579
TSH-IRMA
during thyroxine suppression, 259
TSH activity
and hyperthyroidism following hypothyroidism, 519
TSH antagonist activity
in thyroid disease, 275
TSH blocking antibodies
and congenital hypothyroidism, 189
TSH receptor antibody
induction of thyroglobulin release, 45
T-cells
in subacute thyroiditis, 487
Tall stature
clinical, endocrinological and radiological study of, 223
Testicular FSH receptors
in infertile men, 495
Testicular function
assessment during puberty, 283
Thyroglobulin
TSH receptor antibody induction of release, 45
Thyroid abnormality
and TSH, 313
Thyroid autoantibodies
and diabetes, 23
Thyroid cancer
Gm/HLA in, 17
Thyroid carcinoma
and assessment of thyroxine suppression, 259
Thyroid disease
and TSH antagonist activity, 275
and prolonged residence in Antarctica, 55
Thyroid function
in hyperprolactinaemia, 435
Thyrotoxicosis
serum TRAb and HLA status in predicting remission, 151
action of protein-A purified human immunoglobulins, 441
Thyroxine suppression
assessment in thyroid carcinoma, 259
Thyroxine
replacement therapy in hypothyroidism, 303
Transdermal oestrogen
effect on bone, calcium-regulating hormones and liver, 543

Visual field defects
and bromocriptine treatment, 697
Vitamin D
in the premature neonate, 641